




EZTRIM - Data and Specifications 2019

	Materials Exposed to Plants	UL Certified Components	Power	Specification
Debudder - Tabletop	Aluminum 6061 - FG Stainless Steel - FG Silicone - FG	Control Box Motor Power Cord	120 or 240VAC 60 HZ 3 Phase 1.9 Amps 101 lb.-in. Torque 170 RPM 228 Watts	Weight: 75 lbs. Ship weight: 90 lbs. Assembled Dimensions: 22"L x 27"W x 22"H Ship Dimensions: 32"L x 32"W x 27"H Production (One Person) 1 Plant / 1-5 minutes MSRP: \$ 7,000.00
				

	Materials Exposed to Plants	UL Certified Components	Power	Specification
Debudder - Indoor	Aluminum 6061 - FG Stainless Steel - FG Silicone - FG	Control Box Motor Power Cord	120 or 240VAC 60 HZ 3 Phase 1.9 Amps 101 lb.-in. Torque 170 RPM 228 Watts	Weight: 90 lbs. Ship weight: 105 lbs. Assembled Dimensions: 22"L x 43"W x 43"H Ship Dimensions: 32"L x 32"W x 48"H Production (One Person) 1 Plant / 1-5 minutes MSRP: \$ 8,000.00
				

	Materials Exposed to Plants	UL Certified Components	Power	Specification
Debudder - Outdoor	Aluminum 6061 - FG Stainless Steel - FG Silicone - FG	Control Box Geared Motor Power Cord	120 or 240VAC 60 HZ 3 Phase 1.9 Amps 101 lb.-in. Torque 170 RPM 228 Watts	Weight: 130 lbs. Ship weight: 150 lbs. Assembled Dimensions: 32"L x 43"W x 43"H Ship Dimensions: 32"L x 32"W x 48"H Production (One Person) 1 Plant / 1-5 minutes MSRP: \$ 9,000.00
				

Bud Sorter



Materials Exposed to Plants

Aluminum 6061 - FG
Stainless Steel - FG
Plastic Totes - HDPE

UL Certified Components

n/a

Power

n/a

Specification

Weight: 115 lbs.
Ship weight: 150 lbs.
Assembled Dimensions: 90"L x 24"W x 48"H
Ship Dimensions: 84"L x 32"W x 53"H
Production (One Person) 1 Pound / 1 Minute
MSRP: \$ 5,000.00

EZ Trimmer



Materials Exposed to Plants

Aluminum 6061 - FG
Stainless Steel - FG
Silicone - FG
Nylon - FG

UL Certified Components

5 wire harness(Control Box)
Dayton Gear Motor
Fuse Holder
AC to DC 5V Power Supply
4 Channel DC 5V Relay Module
Touch Screen
Motor Speed Controller
Control Box Micro Controller
9' power chord
Meanwell power supply
Main Motor
Capacitor

Power

120 VAC
60 HZ
Single Phase
10 Amps
1200 Watts

Specification

Weight: 110 lbs.
Ship weight: 125 lbs.
Assembled Dimensions: 32"L x 43"W x 43"H
Ship Dimensions: 32"L x 32"W x 48"H
Production 20-30 Pounds/HR.
MSRP: \$ 10,000.00

Wander Trimmer



Materials Exposed to Plants

Aluminum 6061 - FG
Stainless Steel - FG
Silicone - FG
Plastic Bucket - HDPE

UL Certified Components

Main motor
Speed Controller
Rocker Switch
Power Cord
IEC Jack

Power

120 or 240VAC
60 HZ
204 Watts
1.7 Amps

Specification

Weight: 30 lbs.
Ship weight: 40 lbs.
Assembled Dimensions: 20"L x 20"W x 10"H
Ship Dimensions: 20"L x 20"W x 10"H
Production 1lb. / HR. Dry Weight
MSRP: \$ 2,000.00

Leaf Crisper (35 Gallon)



Materials Exposed to Plants

Food Grade Fiber Barrel
Srtainlees Steel Mesh Screen

UL Certified Components

10" In-line-Fan
Timer

Power

120 VAC
60 HZ
1.5 Amps
180 Watts

Specification

Weight: 50 lbs
Ship weight: 80 lbs
Assembled Dimensions: 20"L x 20"W x 48"H
Ship Dimensions: 32"L x 32"W x 48"H
Capacity: 20 Pounds Dry
MSRP: \$ 1,500.00